## **Amendments To The Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

## **Listing of Claims:**

1. (Previously presented) An isolated polypeptide that suppresses neuronal death associated with Alzheimer's disease having an amino acid sequence of Formula (I):

Pro-Xn<sub>1</sub>-(Cys/bXaa)-(Leu/Arg)-Xn<sub>2</sub>-Leu-Thr-(Gly/Ser)-Xn<sub>3</sub>-Pro (I) (SEQ ID NO: 63)

wherein "Cys/bXaa" indicates Cys or a basic amino acid; "(Leu/Arg)" indicates Leu or Arg; "(Gly/Ser)" indicates Gly or Ser; and Xn<sub>1</sub>, Xn<sub>2</sub>, and Xn<sub>3</sub> independently indicate arbitrary amino acid sequences not more than 10 residues in length, respectively.

- 2. (Previously presented) An isolated polypeptide selected from the group consisting of:
- (a) a polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60 and
- (b) a polypeptide that suppresses neuronal death associated with Alzheimer's disease having an amino acid sequence which differs from a polypeptide of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60, in such a way that one amino acid has been substituted, deleted, inserted, or added.

## 3. (Canceled)

4. (Previously presented) A fusion polypeptide comprising the polypeptide of any of claims 1 to 2 fused with one or more other polypeptides.

IKUO NISHIMOTO Application No. 10/088,724 Reply to Office Action of December 11, 2006

**PATENT** 

- 5. (Previously presented) An isolated DNA encoding a polypeptide selected from the group consisting of:
- (a) a polypeptide that suppresses neuronal death associated with Alzheimer's disease having the amino acid sequence of Formula (I):

 $\label{eq:condition} Pro-Xn_1-(Cys/bXaa)-(Leu/Arg)-Xn_2-Leu-Thr-(Gly/Ser)-Xn_3-Pro~(I)~(SEQ~ID~NO:~63)$ 

wherein "Cys/bXaa" indicates Cys or a basic amino acid; "(Leu/Arg)" indicates Leu or Arg; "(Gly/Ser)" indicates Gly or Ser; and Xn<sub>1</sub>, Xn<sub>2</sub>, and Xn<sub>3</sub> independently indicate arbitrary amino acid sequences not more than 10 residues in length, respectively;

- (b) a polypeptide comprising an amino acid sequence which differs from a polypeptide of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60 in such a way that one amino acid has been substituted, deleted, inserted, or added, wherein the polypeptide suppresses neuronal death associated with Alzheimer's disease;
- (c) a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60; and
- (d) a fusion polypeptide comprising the polypeptide of (a) or (c) fused with one or more other polypeptides;

wherein the DNA does not comprise the sequence of SEQ ID NO:4.

- 6. (Previously presented) A vector into which a DNA encoding a polypeptide of any one of (a) to (c) is inserted:
- (a) a polypeptide that suppresses neuronal death associated with Alzheimer's disease having the amino acid sequence of Formula (I):

Pro-Xn<sub>1</sub>-(Cys/bXaa)-(Leu/Arg)-Xn<sub>2</sub>-Leu-Thr-(Gly/Ser)-Xn<sub>3</sub>-Pro (I) (SEQ ID NO: 63)

wherein "Cys/bXaa" indicates Cys or a basic amino acid; "(Leu/Arg)" indicates Leu or Arg; "(Gly/Ser)" indicates Gly or Ser; and Xn<sub>1</sub>, Xn<sub>2</sub>, and Xn<sub>3</sub> independently indicate arbitrary amino acid sequences not more than 10 residues in length, respectively;

- (b) a polypeptide comprising an amino acid sequence which differs from a polypeptide of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60 in such a way that one amino acid has been substituted, deleted, inserted, or added, wherein the polypeptide suppresses neuronal death associated with Alzheimer's disease;
- (c) a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60; and
- (d) a fusion polypeptide comprising the polypeptide of (a) or (b) fused with one or more other polypeptides.
  - 7. (Original) A host cell retaining the vector of claim 6.
- 8. (Previously presented) A method for producing the polypeptide of any one of claims 1 to 2 or a fusion polypeptide comprising the polypeptide of any one of claims 1 to 2, comprising:

culturing a host cell retaining a vector into which a DNA encoding the polypeptide of any one of claims 1 to 2, or a fusion polypeptide comprising the polypeptide of any one of claims 1 to 2 fused with one or more other polypeptides, is inserted; and

recovering an expressed polypeptide from the host cell or culture supernatant thereof.

- 9-12. (Canceled)
- 13. (Previously presented) A pharmaceutical composition comprising the polypeptide of any one of claims 1 to 2.
  - 14-16. (Canceled)
  - 17-19. (Canceled)

- 20. (Previously presented) The polypeptide of claim 1, wherein  $Xn_1$  is an amino acid sequence consisting of 3 to 5 arbitrary amino acids,  $Xn_2$  is an amino acid sequence consisting of 1 to 3 arbitrary amino acids, and  $Xn_3$  is an amino acid sequence consisting of 3 to 5 arbitrary amino acids.
- 21. (Previously presented) The polypeptide of claim 1, wherein the polypeptide comprises an amino acid sequence of SEQ ID NO: 101.
- 22. (Previously presented) The polypeptide of claim 1, wherein the polypeptide comprises an amino acid sequence of SEQ ID NO: 102.

## 23-26. (Canceled)

- 27. (Previously presented) The polypeptide of claim 2, wherein the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60.
- 28. (Previously presented) The DNA of claim 5, wherein Xn<sub>1</sub> is an amino acid sequence consisting of 3 to 5 arbitrary amino acids, Xn<sub>2</sub> is an amino acid sequence consisting of 1 to 3 arbitrary amino acids, and Xn<sub>3</sub> is an amino acid sequence consisting of 3 to 5 arbitrary amino acids.
- 29. (Previously presented) The DNA of claim 5, wherein the DNA encodes a polypeptide comprising an amino acid sequence of SEQ ID NO: 101.
- 30. (Previously presented) The DNA of claim 5, wherein the DNA encodes a polypeptide comprising an amino acid sequence of SEQ ID NO: 102.

31-34. (Canceled)

- 35. (Previously presented) The DNA of claim 5, wherein the DNA encodes a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 6 to 8, 10, 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60.
- 36. (Previously presented) The vector of claim 6, wherein Xn<sub>1</sub> is an amino acid sequence consisting of 3 to 5 arbitrary amino acids, Xn<sub>2</sub> is an amino acid sequence consisting of 1 to 3 arbitrary amino acids, and Xn<sub>3</sub> is an amino acid sequence consisting of 3 to 5 arbitrary amino acids.
- 37. (Previously presented) The vector of claim 6, wherein the DNA encodes a polypeptide comprising an amino acid sequence of SEQ ID NO: 101.
- 38. (Previously presented) The vector of claim 6, wherein the DNA encodes a polypeptide comprising an amino acid sequence of SEQ ID NO: 102.

39-42. (Canceled)

- 43. (Previously presented) The vector of claim 6, wherein the DNA encodes a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 5 to 8, 10, 12, 13, 21 to 24, 26 to 29, 32, 33, 37 to 40, 46, 48, 54, and 60.
  - 44. (Canceled)
- 45. (Previously presented) A composition comprising a polypeptide of claim 2, and a carrier.

46-49. (Canceled)